

UNITED STATES DISTRICT COURT SOUTHERN DISTRICT OF FLORIDA

CASE NO.:

GARFIELD SPENCE

Plaintiff,

vs.

INJUNCTIVE RELIEF SOUGHT

SHOPPES AT BOYNTON LLC.

Defendant.

_____ /

COMPLAINT

Plaintiff, GARFIELD SPENCE (“Plaintiff”), by and through the undersigned counsel, hereby files this Complaint and sues SHOPPES AT BOYNTON LLC. (referred to as “Defendant”) a for profit company, for declaratory and injunctive relief, attorneys’ fees, expenses and costs (including, but not limited to, court costs and expert fees) pursuant to 42 U.S.C. § 12182 et. seq., and the 2010 Americans with Disabilities Act (“ADA”) and alleges as follows:

JURISDICTION AND VENUE

1. This Court is vested with original jurisdiction over this action pursuant to 28 U.S.C. §§ 1331, 1343 for Plaintiff’s claims arising under Title 42 U.S.C. § 12182 et. seq., based on Defendant’s violations of Title III of the ADA. *See also*, 28 U.S.C. §§ 2201, 2202, as well as the 2010 ADA Standards.

2. Venue is proper in this Court, pursuant to 28 U.S.C. § 1391(B) and Internal Operating Procedures for the United States District Court for the Southern District of Florida in

that all events giving rise to the lawsuit occurred in Palm Beach County, Florida.

PARTIES

3. Plaintiff, GARFIELD SPENCE is *sui juris* and is a resident of the State of Florida.

4. Upon information and belief, Defendant is the lessee, operator, owner and/or lessor of the Real Property, which is subject to this suit, and is located at 701 N Congress Ave. Boynton Beach, FL (“Premises”), and is the owner of the improvements where Premises is located.

5. Defendant is authorized to conduct, and is in fact conducting, business within the state of Florida.

6. Plaintiff is an individual with numerous disabilities and is a double amputee which results in absolutely no use of the legs and requires him to use and remain in a wheelchair. The above listed disability and symptoms cause sudden onsets of severe pain and substantially limit Plaintiff’s major life activities. At the time of Plaintiff’s visit to the Premises in March of 2023 (and prior to instituting this action), Plaintiff suffered from a “qualified disability” under the ADA, and required the use of fully accessible parking spaces and fully accessible paths of travel throughout the facility. Plaintiff personally visited the Premises, but was denied full and equal access and full and equal enjoyment of the facilities and amenities within the Premises, even though he would be classified as a “bona fide patron”.

7. Plaintiff, in his individual capacity, will absolutely return to the Premises and avail himself of the services offered when Defendant modifies the Premises or modifies the

policies and practices to accommodate individuals who have physical disabilities.

8. Plaintiff is continuously aware of the violations at Defendant's Premises and is aware that it would be a futile gesture to return to the Premises as long as those violations exist, and Plaintiff is not willing to suffer additional discrimination.

9. Plaintiff has suffered, and will continue to suffer, direct and indirect injury as a result of Defendant's discrimination until Defendant is compelled to comply with the requirements of the ADA.

10. Plaintiff would like to be able to be a patron of the Premises in the future and be able to enjoy the goods and services that are available to the able-bodied public, but is currently precluded from doing so as a result of Defendant's discriminatory conduct as described herein. Plaintiff will continue to be precluded from using the Premises until corrective measures are taken at the Premises to eliminate the discrimination against persons with physical disabilities.

11. Completely independent of the personal desire to have access to this place of public accommodation free of illegal barriers to access, Plaintiff also acts as a "tester" for the purpose of discovering, encountering and engaging discrimination against the disabled in public accommodations. When acting as a "tester", Plaintiff employs a routine practice. Plaintiff personally visits the public accommodation; engages all of the barriers to access, or at least of those that Plaintiff is able to access; tests all of those barriers to access to determine whether and the extent to which they are illegal barriers to access; proceeds with legal action to enjoin such discrimination; and subsequently returns to Premises to verify its compliance or non-compliance with the ADA and to otherwise use the public accommodation as members of the able-bodied community are able to do. Independent of other subsequent visits, Plaintiff also intends to visit the Premises regularly to verify its compliance or non-compliance with the ADA,

and its maintenance of the accessible features of Premises. In this instance, Plaintiff, in Plaintiff's individual capacity and as a "tester", visited Premises, encountered barriers to access at Premises, and engaged and tested those barriers, suffered legal harm and legal injury, and will continue to suffer such harm and injury as a result of the illegal barriers to access and the ADA violations set forth herein. It is Plaintiff's belief that said violations will not be corrected without Court intervention, and thus Plaintiff will suffer legal harm and injury in the near future.

12. Plaintiff, in his capacity as a tester, will absolutely return to the Premises when Defendant modifies the Premises or modifies the policies and practices to accommodate individuals who have physical disabilities to confirm said modifications have been completed in accordance with the requirements of the ADA.

VIOLATIONS OF THE AMERICANS WITH DISABILITIES ACT

13. Plaintiff adopts and re-alleges the allegations stated in paragraphs 1 through 12 above as if fully stated herein.

14. On July 26, 1990, Congress enacted the Americans With Disabilities Act ("ADA"), 42 U.S.C. § 12101 et. seq. Commercial enterprises were provided one and a half (1.5) years from enactment of the statute to implement its requirements. The effective date of Title III of the ADA was January 26, 1992, or January 26, 1993 if Defendant(s) have ten (10) or fewer employees and gross receipts of \$500,000.00 or less. *See* 42 U.S.C. § 12182; 28 C.F.R. § 36.508(a).

15. Congress found, among other things, that:

- a. some 43,000,000 Americans have one or more physical or mental disabilities, and this number shall increase as the population continues to grow older;
- b. historically, society has tended to isolate and segregate individuals with

disabilities and, despite some improvements, such forms of discrimination against disabled individuals continue to be a pervasive social problem, requiring serious attention;

- c. discrimination against disabled individuals persists in such critical areas as employment, housing, public accommodations, transportation, communication, recreation, institutionalization, health services, voting and access to public services and public facilities;
- d. individuals with disabilities continually suffer forms of discrimination, including outright intentional exclusion, the discriminatory effects of architectural, transportation, and communication barriers, failure to make modifications to existing facilities and practices. Exclusionary qualification standards and criteria, segregation, and regulation to lesser services, programs, benefits, or other opportunities; and,
- e. the continuing existence of unfair and unnecessary discrimination and prejudice denies people with disabilities the opportunity to compete on an equal basis and to pursue those opportunities for which our country is justifiably famous, and accosts the United States billions of dollars in unnecessary expenses resulting from dependency and non-productivity.

Congress explicitly stated that the purpose of the ADA was to:

- f. provide a clear and comprehensive national mandate for elimination of discrimination against individuals with disabilities;
- g. provide clear, strong, consistent, enforceable standards addressing discrimination

against individuals with disabilities; and

- h. invoke the sweep of congressional authority, including the power to enforce the fourteenth amendment and to regulate commerce, in order to address the major areas of discrimination faced on a daily basis by people with disabilities.

U.S.C. § 12101(b)(1)(2) and (4).

17. Pursuant to 42 U.S.C. § 12182(7), 28 C.F.R. § 36.104 and the 2010 ADA Standards, Defendant's Premises is a place of public accommodation covered by the ADA by the fact it provides services to the general public and must be in compliance therewith.

18. Defendant has discriminated and continues to discriminate against Plaintiff and others who are similarly situated, by denying access to, and full and equal enjoyment of goods, services, facilities, privileges, advantages and/or accommodations located at the Premises, as prohibited by 42 U.S.C. § 12182 and 42 U.S.C. § 12101 et. seq., and by failing to remove architectural barriers pursuant to 42 U.S.C. § 12182(b)(2)(A)(iv).

19. Plaintiff has visited Premises, and has been denied full and safe equal access to the facilities and therefore suffered an injury in fact.

20. Plaintiff would like to return and enjoy the goods and/or services at Premises on a spontaneous, full and equal basis. However, Plaintiff is precluded from doing so by the Defendant's failure and refusal to provide disabled persons with full and equal access to its facilities. Therefore, Plaintiff continues to suffer from discrimination and injury due to the architectural barriers that are in violation of the ADA.

21. Pursuant to the mandates of 42 U.S.C. § 12134(a), on July 26, 1991, the Department of Justice, Office of the Attorney General promulgated, Federal Regulations to implement the requirements of the ADA. *See* 28 C.F.R. § 36 and its successor the 2010 ADA

Standards ADA Accessibility guidelines (hereinafter referred to as “ADAAG”), 28 C.F.R. § 36, under which said Department may obtain civil penalties of up to \$55,000.00 for the first violation and \$110,000.00 for and subsequent violation.

22 Based on a preliminary inspection of the Premises, Defendants are in violation of 42 USC § 12182 et. seq. and the 2010 American Disabilities Act Standards et. seq., and is discriminating against Plaintiff as a result of but not limited to, inter alia, the following specific violations:

- i. One the east side of the Property, there is an accessible ramp leading from the public sidewalk to the accessible entrances with a slope exceeding 1:12 in violation of section 405.2 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to access the units of the Property because when ramps are too steep (more than 1:12) it requires too much physical arm strain to wheel up the ramp and increases the likelihood of the wheelchair falling backwards and Plaintiff being injured.
- ii. One the east side of the Property, the Property has an accessible ramp leading from the public sidewalk that lacks finished edges or edge protection and/or is otherwise in violation of section 405.9 of the 2010 ADAAG standards. This barrier to access would exposes Plaintiff to increased risk of injury for if the wheelchair should fall of the side edge of the ramp, the lack of edge protection would likely cause Plaintiff to tip and incur injury.
- iii. On the access route leading from the public sidewalk, the Property has two additional accessible ramps that lack finished edges or edge protection and/or are otherwise in violation of section 405.9 of the 2010 ADAAG standards. This

barrier to access would exposes Plaintiff to increased risk of injury for if the wheelchair should fall of the side edge of the ramp, the lack of edge protection would likely cause Plaintiff to tip and incur injury.

- iv. On the access route leading from the public sidewalk, there is a vertical rise of approximately two inches along the accessible route or path in violation of Section 303.2 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to access public features of the Property as vertical rise in excess of $\frac{1}{4}$ inch may cause Plaintiff's wheelchair to snag on the vertical rise and tip over.
- v. As a result of the barriers to access referenced in (i-iv), the Property lacks an accessible route from the sidewalk to the accessible entrance in violation of section 206.2.1 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to utilize public transportation to access the public accommodations located on the Property.
- vi. Across the vehicular way from Vision Works, due to an inadequate policy of parking lot maintenance or a lack thereof, the accessible parking space is not adequately marked so as to adequately gauge the width of accessible parking spaces and the presence of an access aisle and is therefore in violation of Section 502.1 and 502.2 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to locate an accessible parking space and may cause other vehicles to unknowingly park in the accessible parking space decreasing the available width to Plaintiff.

- vii. Across the vehicular way from Vision Works, the accessible parking space has a slope in excess of 1:48 in violation of section 502.4 of the 2010 ADAAG standards and are not level. This barrier to access would make it dangerous and difficult for Plaintiff to exit and enter their vehicle while parked at the Property as Plaintiff's wheelchair may roll down the slope while entering or exiting the vehicle.
- viii. Across the vehicular way from Panera Bread, due to an inadequate policy of parking lot maintenance or a lack thereof, the two accessible parking spaces are not adequately marked so as to adequately gauge the width of accessible parking spaces and the presence of an access aisle and is therefore in violation of Section 502.1 and 502.2 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to locate an accessible parking space and may cause other vehicles to unknowingly park in the accessible parking space decreasing the available width to Plaintiff.
- ix. In front of Panera Bread, on the access route leading from the accessible parking spaces, there is a vertical rise of approximately an inch along the accessible route or path in violation of Section 303.2 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to access public features of the Property as vertical rise in excess of ¼ inch may cause Plaintiff's wheelchair to snag on the vertical rise and tip over.
- x. At the accessible entrance to Panera Bread, due to the proximity of an accessible ramp to the maneuvering clearance of the accessible entrance, the maneuvering clearance of this accessible entrance is not level (surface and cross-slope in

excess of 1:48) in violation of Section 404.2.4.4 of the 2010 ADAAG standards.

This barrier to access would make it difficult for Plaintiff to access this unit of the Property since it is often necessary for individuals in wheelchairs to need to use their hands to both wheel through the doorway and keep the door open with another hand. When the maneuvering clearance is not level, this ordinarily difficult process is made even more difficult by the inappropriately higher slope.

- xi. Across the vehicular way from Unit 701 3B, due to an inadequate policy of parking lot maintenance or a lack thereof, the accessible parking space is not adequately marked so as to adequately gauge the width of accessible parking spaces and the presence of an access aisle and is therefore in violation of Section 502.1 and 502.2 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to locate an accessible parking space and may cause other vehicles to unknowingly park in the accessible parking space decreasing the available width to Plaintiff.
- xii. In front of Unit 701 3B, on the access route leading from the accessible parking space, there is a vertical rise in excess of a 1/4 inch along the accessible route or path in violation of Section 303.2 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to access public features of the Property as vertical rise in excess of 1/4 inch may cause Plaintiff's wheelchair to snag on the vertical rise and tip over.
- xiii. In front of Unit 701 6, on the access route leading from the accessible parking spaces, there is a vertical rise in excess of an inch along the accessible route or

path in violation of Section 303.2 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to access public features of the Property as vertical rise in excess of ¼ inch may cause Plaintiff's wheelchair to snag on the vertical rise and tip over.

- xiv. Near Unit 701 6, due to the presence of a window, the landing at the top of the curb accessible ramp did not have 36 (thirty-six) inch clear space in violation of section 406.4 of the 2010 ADAAG standards. This barrier to access would make it difficult and dangerous for Plaintiff to access the Property.
- xv. As a result of the barriers to access identified in (xiii and (xiv), the accessible parking spaces located across the vehicular way from Unit 701 6, are not on an accessible route, this is a violation of section 208.3.1 of the 2010 ADAAG standards.
- xvi. Across the vehicular way from Unit 701 1, on the access route leading from the accessible parking space, there is a vertical rise in excess of a 1/4 inch along the accessible route or path in violation of Section 303.2 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to access public features of the Property as vertical rise in excess of ¼ inch may cause Plaintiff's wheelchair to snag on the vertical rise and tip over.
- xvii. Near Unit 701 14, there is a vertical rise in the accessible ramp that is approximately three inches, in violation of Section 303.2 and 405.4 of the 2010 ADAAG standards. This ramp serves the accessible parking space located across the vehicular way to Unit 701 14. This barrier to access would make it dangerous and difficult for Plaintiff to access public features of the Property

when using this accessible ramp as vertical rises on ramps are particularly dangerous as the surface of the ramp is already at a significant slope which increases the likelihood of the wheelchair to tip over due to the vertical rise.

- xviii. As a result of the barrier to access referenced in (xvii), the Property lacks an accessible route from the accessible parking space served by this accessible ramp to the accessible entrances of the Property in violation of section 208.3.1 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access the units of the Property.
- xix. Inside Casa Linda, there is an accessible ramp in front of the bar that lacks the required handrails of the accessible ramp, in violation of section 505.2 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access the interior of this unit of the Property.
- xx. Between Units 6 and 7, the walking surfaces of the accessible route have a cross slope in excess of 1:48, in violation of section 403.3 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to access the units of the Property because excessive cross-slope along accessible routes increases the likelihood of Plaintiff's wheelchair tipping over on its side and injuring Plaintiff.
- xxi. Between Units 3B and 3, the walking surfaces of the accessible route have a cross slope in excess of 1:48, in violation of section 403.3 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to access the units of the Property because excessive cross-slope along

accessible routes increases the likelihood of Plaintiff's wheelchair tipping over on its side and injuring Plaintiff.

- xxii. As a result of the barrier to access referenced in (x), not all entrance doors and doorways comply with section 404 of the 2010 ADAAG standards, this is a violation of section 206.4 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access the units of the Property.
- xxiii. Defendant fails to adhere to a policy, practice and procedure to ensure that all facilities are readily accessible to and usable by disabled individuals.

CASA LINDA RESTROOMS

- xxiv. The restroom lacks signage in compliance with sections 216.8 and 703 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to locate accessible restroom facilities.
- xxv. The door locking hardware providing access to the restrooms requires tight grasping and twisting of the wrist in violation of Section 404.2.7 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to utilize the restroom facilities.

VISIONWORKS RESTROOMS

- xxvi. Due to the height of the sink, the sink has inadequate knee and toe clearance in violation of section 306 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to utilize the restroom sink as Plaintiff is seated in a wheelchair and, when seated, Plaintiff's

feet and legs protrude out in front. In order to properly utilize a sink, Plaintiff's legs must be able to be underneath the surface of the sink, but due to the improper configuration of the sink, there is no room underneath for Plaintiff's legs and feet.

23. To the best of Plaintiff's belief and knowledge, Defendant has failed to eliminate the specific violations set forth in paragraph 22 herein.

24. Although Defendant is charged with having knowledge of the violations, Defendant may not have actual knowledge of said violations until this Complaint makes Defendant aware of same.

25. To date, the readily achievable barriers and other violations of the ADA still exist and have not been remedied or altered in such a way as to effectuate compliance with the provisions of the ADA.

26. As the owner, lessor, lessee or operator of the Premises, Defendants are required to comply with the ADA. To the extent the Premises, or portions thereof, existed and were occupied prior to January 26, 1992, the owner, lessor, lessee or operator has been under a continuing obligation to remove architectural barriers at the Premises where removal was readily achievable, as required by 28 C.F.R. §36.402.

27. To the extent the Premises, or portions thereof, were constructed for occupancy after January 26, 1993 the owner, lessor, lessee or operator of the Premises was under an obligation to design and construct such Premises such that it is readily accessible to and usable by individuals with disabilities, as required by 28 C.F.R. §36.401.

28. Plaintiff has retained the undersigned counsel for the filing and prosecution of this action. Plaintiff is entitled to have his reasonable attorneys' fees, costs and expenses paid

by Defendant, pursuant to 42 U.S.C. § 12205.

29. All of the above violations are readily achievable to modify in order to bring Premises or the Facility/Property into compliance with the ADA.

30. In instance(s) where the 2010 ADAAG standard does not apply, the 1991 ADAAG standard applies and all of the violations listed in paragraph 22 herein can be applied to the 1991 ADAAG standards.

31. Pursuant to 42 U.S.C. § 12188, this Court is vested with the authority to grant Plaintiff's injunctive relief, including an order to alter the subject facility to make them readily accessible to and useable by individuals with disabilities to the extent required by the ADA and closing the Subject Facility until the requisite modifications are completed.

WHEREFORE, Plaintiff demands judgment against Defendants and requests the following injunctive and declaratory relief:

1. That this Court declares that Premises owned, operated and/or controlled by Defendants are in violation of the ADA;
2. That this Court enter an Order requiring Defendants to alter their facilities to make them accessible to and usable by individuals with disabilities to the full extent required by Title III of the ADA;
3. That this Court enter an Order directing the Defendants to evaluate and neutralize their policies, practices and procedures toward persons with disabilities, for such reasonable time so as to allow the Defendants to undertake and complete corrective procedures to Premises;
4. That this Court award reasonable attorney's fees, all costs (including, but not limited to the court costs and expert fees) and other expenses of suit to the Plaintiff; and,
5. That this Court award such other and further relief as it may deem necessary, just and proper.

Dated: May 15, 2023

/s/ Alberto R. Leal.
Alberto R. Leal, Esq., P.A.
Florida Bar No.: 1002345
8927 Hypoluxo Rd. #157

Lake Worth, FL 33467
Phone: 954-637-1868
E-Mail: albertolealesq@gmail.com
Attorney for Plaintiff